Waterco high performance pumps



Hydrostorm, Hydrostorm Plus, Hydrostar






Efficient Impeller and Diffuser Design

The pump's impeller and diffuser design maximizes the hydraulic output of the pump while minimizing turbulence. The pump's efficient hydraulic performance shortens run times and reduces energy consumption leading to lower operating costs.

Engineered Durability

The pump body is manufactured utilising state of the art engineering plastic moulding with a single piece strainer pot and volute for extra strength.

A high grade 316 stainless steel mechanical seal is incorporated for extra protection against corrosion. e.g. from chlorinated water, ozone, iodine, Baquacil, bromine and salt water.






Hydrostorm


The Hydrostorm is designed to have all the extra power you need to cope with modern day swimming pool designs.



Flow Curves



Sound Levels




Technical specification

Model	Flow ra	ate (lpm) 10m	Nom. HP	kW	Amps	Phase	Total Length (mm)	Motor Frame (mm)	Inlet/Outlet
Hydrostorm 100	248	219	1	0.91	4.00	1	600	71	50mm ports x / 50mm unions
Hydrostorm 125	267	237	1.25	1.08	4.80	1	600	71	50mm ports x / 50mm unions
Hydrostorm 150	336	309	1.5	1.31	5.80	1	647	80	50mm ports x / 50mm unions
Hydrostorm 200	379	350	2	1.46	6.60	1	647	80	50mm ports x / 50mm unions

Phase	Volts	Cycle	RPM
1	220- 240	50	2860

Dimension



Hydrostorm Plus


The Hydrostorm plus has all the proven features of the Hydrostorm with the addition of an innovative lid & lock ring for easier maintenance and a larger strainer basket for increased capacity.



Flow Curves

25
20
25
20
25
20
250
300
5
200
150
5
200
5
200
600
700

Flow (lpm)




Technical specification

Model	Flow ra	ate (lpm) 10m	Nom. HP	kW	Amps	Phase	Total Length (mm)	Motor Frame (mm)	Inlet/Outlet
Hydrostorm Plus 150	336	309	1.5	1.40	5.8	1	678	80	50mm ports x / 50mm unions
Hydrostorm Plus 200	379	350	2	1.51	6.3	1	678	80	50mm ports x / 50mm unions
Hydrostorm Plus 250	479	449	2.5	1.85	7.8	1	678	80	65mm ports x / 50mm unions
Hydrostorm Plus 300	588	549	3	2.08	9.0	1	730	90	65mm ports x / 50mm unions

Phase	Volts	Cycle	RPM
1	220- 240	50	2860

Dimension




Hydrostar

Built with an innovative quarter lid & lock ring and extra large strainer basket, the Hydrostar is ideal for large domestic and commercial sized swimming pools.



Flow Curves


Sound Levels



Technical specification

Model		ate (lpm) 10m	Nom. HP	kW	Amps	Phase	Total Length (mm)	Motor Frame (mm)	Inlet/Outlet
Hydrostar 200	340	286	2	1.46	6.5	1	771	80	65mm ports x / 50mm unions
Hydrostar 250	475	438	2.5	1.96	9.3	1	771	80	65mm ports x / 50mm unions
Hydrostar 300	524	488	3	2.33	10.9	1	792	90	65mm ports x / 50mm unions
Hydrostar 300	524	488	3	2.33	10.9	1	792	90	80mm ports x / 80mm unions
Hydrostar 200 (3 phase)	340	286	2	1.41	2.5	3	770	90	65mm ports x / 50mm unions
Hydrostar 250 (3 phase)	475	438	2.5	1.92	3.8	3	770	90	65mm ports x / 50mm unions
Hydrostar 300 (3 phase)	524	488	3	2.25	4.1	3	792	90	80mm ports x / 80mm unions

Phase	Volts	Cycle	RPM
1	220- 240	50	2860
3	380- 420	50	2860



Warranty

wairanty	
Pumps	3 years (conditional) *
Wet End	3 years
Motor, mechanical seal, O' ring, basket & impeller	2 years
Commercial applications	1 year
Labour	1 year

^{*} Please refer to Waterco's warranty terms and conditions





Waterco exports to over 40 countries via branches operating in Australia, New Zealand, Malaysia, China, the United Kingdom, United States of America, Canada and Indonesia as well as through international distributors.



OFFICES - AUSTRALIA

NSW - Sydney (Head Office) Tel: +61 2 9898 8600

QLD - Brisbane Tel: +61 7 3299 9900 VIC/TAS - Melbourne Tel: +61 3 9764 1211 WA - Perth Tel: +61 8 9273 1900

SA/NT - Adelaide Tel: +61 8 8244 6000 ACT Distribution Tel: +61 2 6280 6476

OFFICES - OVERSEAS Waterco (Europe) Limited Sittingbourne, Kent. UK Tel: +44 (0) 1795 521 733

Waterco (USA) Inc Augusta, Georgia, USA Tel: +1 706 793 7291

Waterco Canada St Hyacinthe, Quebec, Canada Tel: +1 450 796 1421

Waterco (NZ) Limited Auckland, New Zealand Tel: +64 9 525 7570

Waterco (C) Limited Guangzhou, China Tel: +86 20 3222 2180

Waterco (Far East) Sdn Bhd Selangor, Malaysia Tel: +60 3 6145 6000

PT Waterco Indonesia Jakarta, Indonesia Tel: +62 21 4585 1481

Waterco Singapore Intl Pte Ltd Marine Parade Centre, Singapore Tel: +65 6344 2378

DISTRIBUTED BY:







